



## Safety Data Sheet

### 1 – Product Identifier & Identity for the Chemical

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Manufacturer:</b> WD-40 Company Australia Pty Ltd<br><br><b>Address:</b> 1 Thomas Holt Drive<br>(Suite 1, Level 5)<br>Macquarie Park<br>NSW, 2113, Australia<br><br><b>Telephone Information:</b> +61 2 9868 2200<br><b>Emergency only:</b> 1800 862 115<br><br><b>Poisons Information Centre:</b><br><b>Australia:</b> 13 11 26<br><b>New Zealand:</b> 0800 764 766<br><br><b>New Zealand Contact Details:</b><br><b>Name:</b> Eproducts New Zealand Limited<br><b>Address:</b> 1B / 89 Ellice Road,<br>Wairau Valley,<br>Auckland 0629<br>New Zealand<br><br><b>Telephone Information:</b> 09 916 6750<br><b>Emergency only:</b> 0800 425 459 | <b>Product Name:</b> WD-40 Specialist High Performance White Lithium Grease<br><br><b>Chemical Name:</b> Mixture<br><br><b>Product Use:</b> Lubricant<br><br><b>Restriction on Use:</b> None Identified<br><br><b>SDS Date of Preparation:</b> 21 May 2026<br><br><b>This SDS applies to unit codes:</b> 21002 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 2 – Hazards Identification

#### Classification of the Hazardous Chemical (in accordance with WHS Regulation)

| Health                         | Environmental                       | Physical           |
|--------------------------------|-------------------------------------|--------------------|
| Aspiration Toxicity Category 1 | Aquatic Chronic Toxicity Category 2 | Aerosol Category 1 |

#### Label Elements



Contains: Distillates (petroleum), hydrotreated light

#### Danger!

H222 Extremely flammable aerosol.  
H229 Pressurized container: may burst if heated.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.  
AUH066 Repeated exposure may cause skin dryness and cracking.

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

#### **Response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

#### **Storage**

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents and container in accordance with local and national regulations.

**Other Hazards that do not Result in Classification:** None

### **3 - Composition/Information on Ingredients**

| <b>Ingredient</b>                           | <b>CAS #</b>                   | <b>Weight Percent</b> | <b>Substance Classification</b>                            |
|---------------------------------------------|--------------------------------|-----------------------|------------------------------------------------------------|
| Propellant (propane, n-butane, Isobutane)   | 74-98-6<br>106-97-8<br>75-28-5 | 40-50%                | Flam. Gas Cat 1 (H220)<br>Press. Gas (H280)                |
| Distillates (petroleum), hydrotreated light | 64742-47-8                     | 10-30%                | Asp. Tox. Cat 1 (H304)<br>AUH066                           |
| Petroleum Distillates                       | 64742-62-7<br>64742-65-0       | 10-<30%               | Not Hazardous                                              |
| Zinc Oxide                                  | 1314-13-2                      | <10%                  | Aquatic Acute Cat 1 (H400)<br>Aquatic Chronic Cat 1 (H410) |

See Section 16 for full text of GHS Classification and H phrases.

### **4 – First Aid Measures**

**Ingestion (Swallowed):** Aspiration Hazard. DO NOT induce vomiting. Call a Poisons Information Center (phone 13 11 26 from anywhere in Australia or 0800 764 766 in New Zealand) immediately.

**Eye Contact:** Flush thoroughly with water. Get medical attention if irritation persists.

**Skin Contact:** Wash with soap and water. If irritation develops, get medical attention.

**Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

**Most Important Symptoms:** Direct contact with eyes may cause mild irritation. Prolonged skin contact may cause drying of the skin and cracking. Inhalation may cause headache, dizziness, nausea, and other symptoms of central nervous system depression. Accidental ingestion may cause gastrointestinal effects with irritation, nausea, vomiting, dizziness, coma, and death.

Aspiration into the lungs during ingestion or vomiting may cause lung damage.

**Indication of Immediate Medical Attention and Special Treatment, if Needed:** Immediate medical attention is required for ingestion.

### **5 – Fire Fighting Measures**

**Suitable Extinguishing Media:** Use water fog, dry chemical, carbon dioxide or foam. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition source and open fire. Exposure of containers to extreme heat

and flames can cause them to rupture often with violent force. A vapor and air mixture can create an explosion hazard in confined spaces.

**Special Protective Equipment and Precautions for Fire-Fighters:** Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Use shielding to protect against bursting containers. Cool fire-exposed containers with water.

## 6 – Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing (see Section 8). Eliminate all sources of ignition and ventilate area.

**Environmental Precautions:** Avoid releases to the environment. Report spills to authorities as required.

**Methods and Materials for Containment/Cleanup:** Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly.

## 7 – Handling and Storage

**Precautions for Safe Handling:** Avoid contact with eyes and skin. Avoid breathing vapors or aerosols. Intentional misuse by deliberately concentrating vapors and inhaling can be harmful or fatal. Use only with adequate ventilation. Keep away from heat, sparks, pilot lights, hot surfaces, and open flames. Unplug electrical tools, motors, and appliances before spraying or bringing the can near any source of electricity. Electricity can burn a hole in the can and cause contents to burst into flames. To avoid serious burn injury, do not let the can touch battery terminals, electrical connections on motors or appliances or any other source of electricity. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture, crush, or incinerate containers, even when empty.

**Conditions for Safe Storage, including any incompatibilities:** Store in a cool, dry, well-ventilated area away from incompatible materials. Protect from physical damage. Do not store in direct sunlight, near open flames or above temperatures greater than 50°C.

## 8 – Exposure Controls /Personal Protection

| Chemical                                    | Occupational Exposure Limits                                                                                                                      | Biological Limit Value |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Propane                                     | Asphyxiant – See Chapter 10 of Safe Work Australia Exposure Standard<br>NZ-WESES: Simple Asphyxiant-may present an explosion hazard               | None Established       |
| n-Butane                                    | 800 ppm TWA AU OEL<br>800 ppm TWA NZ OEL<br>1000 ppm STEL ACGIH TLV (as Butane, all isomers)                                                      | None Established       |
| Iso-Butane                                  | NZ-Simple Asphyxiant-may present an explosion hazard.<br>1000 ppm STEL ACGIH TLV (as Butane, all isomers)                                         | None Established       |
| Distillates (petroleum), hydrotreated light | 1200 mg/m <sup>3</sup> TWA Supplier Recommended (total hydrocarbons)                                                                              | None Established       |
| Petroleum Distillates                       | 5 mg/m <sup>3</sup> TWA AU OEL (as oil mist, refined mineral)<br>5 mg/m <sup>3</sup> TWA, 10 mg/m <sup>3</sup> STEL NZ OEL (as oil mist, mineral) | None Established       |

|            |                                                                                                                                                                                                                                                                                                                                       |                  |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
|            | 5 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable) (as mineral oil)                                                                                                                                                                                                                                                                        |                  |
| Zinc Oxide | 10 mg/m <sup>3</sup> TWA AU OEL (as dust)<br>5 mg/m <sup>3</sup> TWA, 10 mg/m <sup>3</sup> STEL AU OEL (as fume)<br>0.1 mg/m <sup>3</sup> TWA, 0.5 mg/m <sup>3</sup> STEL (15 min average value) NZ OEL (Respirable fraction)<br>2 mg/m <sup>3</sup> TWA, 5 mg/m <sup>3</sup> STEL (15 min average value) NZ OEL (inhalable fraction) | None Established |

**The Following Controls are Recommended for Normal Consumer Use of this Product**

**Appropriate Engineering Controls:** Use in a well-ventilated area.

**Personal Protection:**

**Eye Protection:** Avoid eye contact. Always spray product away from your face.

**Skin Protection:** Avoid prolonged or repeated skin contact. Wash hands with soap and water after use.

**Respiratory Protection:** None needed for normal use with adequate ventilation.

**For Bulk Processing or Workplace Use the Following Controls are Recommended**

**Appropriate Engineering Controls:** Use adequate general and local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Personal Protection:**

**Eye Protection:** Safety glasses with side shields or chemical goggles are recommended.

**Skin Protection:** Wear appropriate protective clothing and chemical-resistant gloves to avoid prolonged or repeated skin contact. Wash thoroughly after handling.

**Respiratory Protection:** None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear an approved respirator. Respirator selection and use should be based on contaminant type, form, and concentration. Follow applicable regulations and good Industrial Hygiene practice.

**Work/Hygiene Practices:** Wash hands after handling.

**Other Protective Equipment:** None required.

**9 – Physical and Chemical Properties**

|                                       |                                                                    |                                           |                |
|---------------------------------------|--------------------------------------------------------------------|-------------------------------------------|----------------|
| Appearance and Odor:                  | Off white liquid with a faint citronella odor                      | Partition Coefficient of n-octanol/water: | Not determined |
| Odor Threshold:                       | Not determined                                                     | Auto-ignition temperature:                | Not determined |
| pH:                                   | Not determined                                                     | Decomposition Temperature:                | Not determined |
| Melting/Freezing Point:               | Not applicable                                                     | Kinematic Viscosity:                      | Not determined |
| Boiling Point / Range:                | Not determined                                                     | Specific Heat Value:                      | Not determined |
| Flash Point:                          | 97°C (207°F)<br>(Distillates (petroleum), hydrotreated light)      | Particle Characteristics:                 | Not applicable |
| Evaporation Rate (Butyl Acetate = 1): | Not determined                                                     | VOC:                                      | Not determined |
| Flammability:                         | Not applicable                                                     | Percent Volatile:                         | Not determined |
| Flammable Limits:                     | LEL 0.6% UEL 5.0%<br>(Distillates (petroleum), hydrotreated light) | Saturated Vapor Concentration:            | Not determined |

|                                       |                |                                                  |                    |
|---------------------------------------|----------------|--------------------------------------------------|--------------------|
| Vapor Pressure:                       | Not determined | Release of invisible flammable vapors and gases: | Yes                |
| Relative Vapor Density (air = 1):     | Not determined | Aerosol Protection Level (NFPA 30B):             | 3                  |
| Density/Relative Density (Water = 1): | Not determined | Solubility:                                      | Insoluble in water |

## 10 – Stability and Reactivity

**Reactivity:** Non-reactive

**Chemical Stability:** Stable under normal storage conditions.

**Possibility of Hazardous Reactions:** Reaction with strong oxidizers will generate heat and may cause fire.

**Conditions to Avoid:** Avoid extreme heat, flames, and other sources of ignition. Avoid physical damage to aerosol can.

**Incompatible Materials:** Strong oxidizers, acids, and bases.

**Hazardous Decomposition Products:** Carbon monoxide and carbon dioxide, fumes, and/or unburned hydrocarbons.

## 11 – Toxicological Information

### Health Hazards:

**Ingestion:** Swallowing is an unlikely route of exposure for an aerosol product. If swallowed, this material may cause irritation of the mouth, throat, and esophagus. Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea, dizziness, drowsiness, and other central nervous system effects. This product is an aspiration hazard. If swallowed, can enter the lungs, and may cause chemical pneumonitis, severe lung damage and death.

**Eye Contact:** Liquid sprayed into eyes may cause mild irritation. May cause redness, stinging, swelling, and tearing.

**Skin Contact:** May cause skin irritation with short-term exposure with redness, itching and burning of the skin. Prolonged and/or repeated contact may produce defatting and dermatitis.

**Inhalation:** Mist or vapor can irritate the throat and lungs. High concentrations may cause nasal and respiratory irritation and central nervous system effects such as headache, dizziness, and nausea. Intentional abuse may be harmful or fatal.

**Chronic Exposure:** Prolonged or repeated skin contact may defat the skin resulting in irritation and dermatitis.

**Medical Conditions Aggravated by Exposure:** Preexisting eye, skin and respiratory conditions may be aggravated by exposure.

### Acute Toxicity Values:

Distillates (petroleum), hydrotreated light: Oral rat LD50: >5000 mg/kg, Inhalation rat LC50: >5000 mg/m<sup>3</sup>/8hr, Skin rabbit LD50: >5000 mg/kg

Petroleum Distillates: Oral rat LD50: >5000 mg/kg, Skin rabbit LD50: >5000 mg/kg

Zinc Oxide: Oral rat LD50: >2000 mg/kg, Inhalation rat LC50: >5.7 mg/L/4hr (no mortality), Skin rat LD50: >2000 mg/kg

ATE<sub>mix</sub> Oral: >2,000 mg/kg; Dermal: >2,000 mg/kg; Not acutely toxic by inhalation

**Skin Corrosion/Irritation:** No data available for mixture. Based on the ingredients, this product is not classified as a skin irritant.

**Serious Eye Damage/Irritation:** No data available for mixture. Based on the ingredients, this product is not classified as an eye irritant.

**Respiratory or Skin Sensitization:** This product is not expected to cause sensitization.

**Germ Cell Mutagenicity:** None of the components have been found to be mutagenic.

**Carcinogenicity:** None of the components are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, US OSHA or the EU CLP.

**Reproductive Toxicity:** This product is not expected to cause reproductive harm.

**Specific Target Organ Toxicity:**

**Single Exposure:** No data available.

**Repeated Exposure:** No data available.

**Aspiration Hazard:** Based on the ingredients, this product is expected to present an aspiration hazard.

**12 – Ecological Information****Ecotoxicity:**

Zinc Oxide: 96 hr LC50 Fathead minnow: 0.330-0.780 mg/L, 96 hr LC50 Rainbow trout: 0.169-2.17 mg/L, 30 day NOEC Rainbow trout: 0.199 mg/L, 72 days NOEC Rainbow trout: 0.440 mg/L, 21 day NOEC Daphnia magna: 0.04-0.058 mg/L

This product has been classified as toxic to the aquatic environment with long lasting effects based on the components. Releases to the environment should be avoided.

**Persistence and Degradability:** Biodegradation is not applicable to inorganic compounds such as Zinc oxide.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** None Known

**13 - Disposal Considerations**

**Safe Handling and Disposal Method:** Aerosol containers should not be punctured, compacted in home trash compactors or incinerated.

**Disposal of Contaminated Packaging:** Empty containers may be disposed of through normal waste management options.

**Environmental Regulations:** Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

**14 – Transportation Information**

**IMDG Shipping Name:** Aerosols

**IMDG Hazard Class:** 2.1

**UN Number:** UN1950

**Marine Pollutant:** No\*

**IATA Shipping Name:** Aerosols, Flammable

**IATA Hazard Class:** 2.1

**UN Number:** UN1950

**ADG Shipping Name:** Aerosols

**ADG Hazard Class:** 2.1

**UN Number:** UN1950

**Hazchem (Emergency Action) Code:** N/A

\*Note: Inner packages with less than 5 liters of liquid/ 5 kg of solid are exempt from Marine Pollutant per IMDG Code 2.10.2.7 and ICAO Special Provision A197.

**Special Precautions for User:** WD-40 Company does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

**15 – Regulatory Information**

**Montreal Protocol (Ozone Depleting Substances):** None present

**The Stockholm Convention (Persistent Organic Pollutants):** None present

**The Rotterdam Convention (Prior Informed Consent):** Not applicable

**Basel Convention:** Not applicable

**International Convention for the Prevention of Pollution from Ships (MARPOL):** None present  
**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):** Not applicable

**Australian Inventory of Chemical Substances:** All the components of this product are listed on the AICS inventory.

**New Zealand:**

**HSNO Approval Number:** HSR002515

*Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Classified as Dangerous Good for transport purposes.*

HSNO Hazard Classes: 2.1.2A, 6.1E, 9.1B

**New Zealand Inventory:** All the ingredients comply with the HSNO regulations.

## 16 – Other Information

REVISION DATE: 21 May 2026

SUPERSEDES: 26 August 2025

### Revision History:

21 May 2026: Updated address

Prepared By: IHSC, LLC

Full Text of GHS Classification and H Phrases from Section 3:

Aquatic Acute Cat 1 Aquatic Acute Toxicity Category 1

Aquatic Chronic Cat 1 Aquatic Chronic Toxicity Category 1

Asp. Tox. Cat 1 Aspiration Toxicity Category 1

Flam. Gas Cat 1 Flammable Gas Category 1

Press. Gas Compressed Gas

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

AUH066 Repeated exposure may cause skin dryness or cracking.

List of Abbreviations or Acronyms:

ACGIH American Conference of Industrial Hygienists

ADG Australian Dangerous Goods

AICS Australian Inventory of Chemical Substances

AU Australia

EC Effective Concentration

EU European Union

GHS Globally Harmonized System of Classification and Labelling of Chemicals

HSNO Hazardous Substances and New Organisms

IARC International Agency of Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LC Lethal Concentration

LD Lethal Dosage

LEL Lower Explosive Limit

NTP National Toxicology Program

NZ New Zealand

OEL Occupational Exposure Limits

PEL Permissible Exposure Limit  
SDS Safety Data Sheet  
STEL Short Term Exposure Limit  
TWA Time-Weighted Average  
UEL Upper Explosive Limit  
US OSHA United States Occupational Safety and Health Administration  
VOC Volatile Organic Compounds  
WHS Work Health and Safety

REVIEWED BY: I. Kowalski TITLE: Manager Regulatory Affairs

This SDS complies with Australian guidelines for SDS. The foregoing information has been compiled from sources believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance of need that data is correct. Standards change without notice. It is the responsibility of the recipient to ensure that their personnel have been notified of any changes which may affect them. The data provided on this SDS are not meant to be used as specifications, only as guideline information as to the safe use of this product. User should refer to applicable laws before use.

3056300/No.0159607